

REQUIREMENTS FOR CONSTRUCTION IN GEOLOGICALLY HAZARDOUS
AREAS - INITIAL PERMIT SUBMITTAL FORM

“Step 1”



GEOTECHNICAL ANALYSIS FORM : TO BE COMPLETED BY A LICENSED ENGINEER * IN THE STATE OF WASHINGTON QUALIFIED IN THE SPECIALTY OF GEOTECHNICAL ENGINEERING AND SUBMITTED WITH CONSTRUCTION PERMIT APPLICATION ATTACHED AS A PART OF THE FULL GEOTECHNICAL REPORT BEARING THE ENGINEER'S SEAL

* A licensed geologist may use this form for section 1 below

Project Number: **PRJ-00** _____ Construction Permit Number: _____

Applicant's name : _____ Applicant's telephone #: _____

Project Name : _____

Project street address or location: _____

Geotechnical Engineer's Name and License # _____

Engineer's Telephone #: _____

Signature & Date: _____

Submit this form with the initial permit application and the project geotechnical report (with recommendations and assumptions). This form is the summary of those recommendations and assumptions. The City will review this form; information not included in this form may not be reviewed. Review of this form by the City is general in nature and does not constitute agreement with the contents, endorsement of the conclusions or assurance of professional quality.

1) Is the proposed development in a geologically hazardous 15% to 40% slope?
(if not skip to #2)

- | | yes | no | |
|----|--------------------------|--------------------------|--|
| A. | <input type="checkbox"/> | <input type="checkbox"/> | Is any of the proposed work within 50 feet of slopes of 10 feet or greater vertical relief and between 15 % and 40%? |
| B. | <input type="checkbox"/> | <input type="checkbox"/> | Do the above slopes have springs or ground water seepage? |
| C. | <input type="checkbox"/> | <input type="checkbox"/> | Are the above slopes composed of impermeable soils (typically silt and clay) overlain or frequently inter-bedded with permeable granular soils (predominantly sand or gravel)? |
| D. | <input type="checkbox"/> | <input type="checkbox"/> | Are the above slopes otherwise listed as a "geologically hazardous area" in BIMC 16.20.030 or exhibit evidence of being geologically hazardous? |


City of Bainbridge Island
REQUIREMENTS FOR CONSTRUCTION IN GEOLOGICALLY HAZARDOUS
AREAS - INITIAL PERMIT SUBMITTAL FORM



If the answers to A, B and C above are *all* yes; **and/or** D is yes, the slope is considered geologically hazardous. *If* you have determined that the slope is *not* geologically hazardous, then attach your field observations or other documentation and affix your engineer or geologist seal to this document:

Seal of professional engineer or geologist:

Signature of licensed engineer or geologist:



If the City accepts that this is not a geologically hazardous area no further information is needed and the remainder of this form may be left blank.

2) Site geological hazard area types (see Municipal Code for definitions):

- Landslide hazard - Attach geotechnical analysis prepared by a licensed (geotechnical) engineer with this form
- Attach erosion control plan prepared by a licensed engineer with the permit issuance form (step 2)
- Erosion hazard - Attach erosion control plan prepared by a licensed engineer with the permit issuance form (step 2)
- Liquefaction hazard - Attach geotechnical analysis prepared by a licensed (geotechnical) engineer.
- Fault rupture hazard Attach geological analysis prepared by a geologist, or geotechnical engineer.
Attach geotechnical analysis prepared by a licensed (geotechnical) engineer if surface deformation is found.

City of Bainbridge Island
REQUIREMENTS FOR CONSTRUCTION IN GEOLOGICALLY HAZARDOUS
AREAS - INITIAL PERMIT SUBMITTAL FORM



3) CONDITIONS, RECOMMENDATIONS, SUGGESTIONS. State your geotechnical recommendations here referencing the page in the (attached) geotechnical report where the recommendations are located (attach additional sheets as needed). The recommendations provided by the Geotechnical Engineer shall be closely followed without variance, regardless of whether the recommendation is stated as "should", "may" or other similar terminology. This includes any requirements for footing design, foundation wall design, site preparation, facility location, fill materials, drainage, design and construction monitoring and all other items included in the report:

LANDSLIDE HAZARDOUS AREAS

